

Amendments to the Claims

Claims 1-2, 5, 8-13, 16, 18-19 and 22 are canceled. Claims 3-4, 14-15, 17 and 20-21 are currently amended. This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims

Claims 1-2 (cancelled)

Claim 3 (currently amended) A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user identifying one of the plurality of computer resources;

from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource;

wherein the request identifies a specific user;

wherein the set of previously stored records is part of a database of records and each record of the database identifies one of the users, identifies one of the plurality of computer resources, and contains security information for allowing the user identified in the record to access the computer resource identified in the record;

wherein the set of previously stored records is obtained by identifying the records in the database whose identified user corresponds to the user identified in the request;

~~The method of claim 2,~~ wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of matches between the values from the record and the values from the request; and

wherein the selected record is the record whose values have the highest number of matches with the values from the request.

Claim 4 (currently amended) A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user identifying one of the plurality of computer resources;

from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource;

wherein the request identifies a specific user;

wherein the set of previously stored records is part of a database of records and each record of the database identifies one of the users, identifies one of the plurality of computer resources, and contains security information for allowing the user identified in the record to access the computer resource identified in the record;

wherein the set of previously stored records is obtained by identifying the records in the database whose identified user corresponds to the user identified in the request;

~~The method of claim 2,~~ wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of consecutive matches between the values from the record and the values from the request; and

wherein the selected record is the record whose values have the highest number of consecutive matches with the values from the request.

Claim 5 (canceled)

Claim 6 (original) A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user containing one or more values which identify one of the plurality of computer resources;

from a set of previously stored records each of which contains one or more values that identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of matching values and choosing the record having the highest number of matching values; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

Claim 7 (original) A method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user containing one or more values which identify one of the plurality of computer resources;

from a set of previously stored records each of which contains one or more values that identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, selecting one of the records of the set by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of consecutive matching values and selecting the record having the highest number of consecutive matching values; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource.

Claims 8-13 (canceled)

Claim 14 (currently amended) A system for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the system comprising:

means for receiving a request from the at least one user identifying one of the plurality of computer resources;

means for selecting, from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

means for using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource;

~~The system of claim 13,~~ wherein each record's identification comprises one or more values;

wherein the request's identification comprises one or more values; and

wherein the means for selecting selects the record of the set whose identification is related to the request's identification by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of matching values and choosing the record having the highest number of matching values.

Claim 15 (currently amended) A system for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the system comprising:

means for receiving a request from the at least one user identifying one of the plurality of computer resources;

means for selecting, from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

means for using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource;

~~The system of claim 13~~, wherein each record's identification comprises one or more values;

wherein the request's identification comprises one or more values; and

wherein the means for selecting selects the record of the set whose identification is related to the request's identification by comparing, for each record of the set, the one or more values from the record with the one or more values from the request to determine the number of consecutive matching values and choosing the record having the highest number of consecutive matching values.

Claim 16 (canceled)

Claim 17 (currently amended) A data structure for storing information to be utilized in providing a plurality of users with access to a plurality of computer resources, the data structure comprising:

a location for storing an identification of one of the plurality of users;

a location for storing an identification of one of the plurality of computer resources; and

a location for storing security information for allowing the identified user to access the identified computer resource;

~~The data structure of claim 16,~~ wherein the identification of one of the plurality of computer resources comprises one or more values, and

wherein the location for storing an identification of one of the plurality of computer resources is divided into one or more fields each of which stores one of the values.

Claims 18-19 (canceled)

Claim 20 (currently amended) A computer program product comprising a computer usable medium having computer readable code embodied therein, the computer readable code, when executed, causing a computer to implement a method for providing at least one user with access to a plurality of computer resources, at least some of which

utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user identifying one of the plurality of computer resources;

selecting, from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource;

wherein the request identifies a specific user;

wherein the set of previously stored records is part of a database of records and each record of the database identifies one of the users, identifies one of the plurality of computer resources, and contains security information for allowing the user identified in the record to access the computer resource identified in the record; and

wherein the set of previously stored records is obtained by identifying the records in the database whose identified user corresponds to the user identified in the request;

~~The computer program product of claim 19,~~ wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of matches between the values from the record and the values from the request; and

wherein the selected record is the record whose values have the highest number of matches with the values from the request.

Claim 21 (currently amended) A computer program product comprising a computer usable medium having computer readable code embodied therein, the computer readable code, when executed, causing a computer to implement a method for providing at least one user with access to a plurality of computer resources, at least some of which utilize distinct protocols for receiving security information and for providing access to outside systems based on received security information, the method comprising:

receiving a request from the at least one user identifying one of the plurality of computer resources;

selecting, from a set of previously stored records each of which identifies one of the plurality of computer resources and contains security information for allowing access to the computer resource identified in the record, one of the records of the set whose identification of one of the plurality of computer resources is related to the request's identification of one of the plurality of computer resources; and

using the security information in the selected record to provide access to the computer resource identified in the request according to the distinct protocol utilized by that resource;

wherein the request identifies a specific user;

wherein the set of previously stored records is part of a database of records and each record of the database identifies one of the users, identifies one of the plurality of computer resources, and contains security information for allowing the user identified in the record to access the computer resource identified in the record; and

wherein the set of previously stored records is obtained by identifying the records in the database whose identified user corresponds to the user identified in the request;

~~The computer program product of claim 19,~~ wherein the request's identification of one of the plurality of computer resources comprises one or more values;

wherein, for each record of the database, the record's identification of one of the plurality of computer resources comprises one or more values; and

wherein the step of selecting one of the records of the set comprises:

for each record of the set, comparing the one or more values from the record with the one or more values from the request to determine the number of consecutive matches between the values from the record and the values from the request; and

wherein the selected record is the record whose values have the highest number of consecutive matches with the values from the request.

Claim 22 (canceled)